


Media Command Center - Universal Series



MCC – Universal

The MCC-Universal (MCC-4h) series is built around the latest **MEDI™** technology developed by Avitech. In addition, Avitech also implemented the latest Image antialiasing Technology. The production series is not limited to scaling down the video, but also maximizes the screen for full video display. With this technology the MCC delivers unparalleled image quality. In addition, information features & status indicators such as audio meters, UMD's, labels, borders, tallies and alarms are available. The MCC Universal series can also be part of the MCC virtual monitor wall system.

Video

Each MCC Production module has 4 video inputs via BNC connectors. MCC modules can run as standalone modules or can be cascaded to accommodate more inputs. The 4 inputs can be composite, SD SDI and HD SDI. Any window on the screen can be maximize to full screen.

Audio

Four audio inputs in either Balanced Analog Stereo or Balanced/Unbalanced AES/EBU are available for on screen audio meters. A balanced XLR output and audio looping allows you to monitor any audio source with an external device.

Communication

There are two different communication protocols available for the MCC. If you are specifying a system with an Avitech controller, both COM A and COM B will come equipped with RS-485. COM B is used for cascading with other modules.

Key Features

- Displays 4 to 120 inputs on a single display
- Can be part of the Avitech Virtual Monitor Wall System
- Inputs can be composite, SD-SDI and HD-SDI.
- Comes standard with active loop-outs
- High resolution DVI and VGA output
- Output resolution can be 800x600 to 1920 x 1080
- XLR output for AES audio monitoring
- Industry leading full screen mode for SD and composite video inputs using DCDi™ Image Enhancement Technology by Faroudja
- Balanced analog stereo and balanced/unbalanced AES/EBU audio can be displayed with on screen VU meters

Ordering Information

MCC-4h

Up to 4 auto-detect SD/composite Inputs

MCC-4hA

Up to 4 Auto-detect SD/composite Inputs with 4 pairs of balanced Analog Audio

MCC-4hD

Up to 4 Auto-detect SD/composite Inputs with 4 balanced/unbalanced AES Audio

Avitech International Worldwide Headquarters
15225 NE 90th Street
Redmond, WA 98052, USA
Toll Free: +1 (877) AVITECH
Fax: +1 (425) 885-4726
sales@avitechvideo.com
www.avitechvideo.com

Delamere Marketing
Press and Media Relations
Salt Lake City, Utah, USA
Tel: 801-261-5586
Fax: 801-761-0743
Admin@delameremarketing.com
www.delameremarketing.com